

# GetValidTest

## Try Before You Buy

Download a free sample of any of our exam questions and answers

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.

Select a vendor... ▾

Select an exam... ▾

Your email address

 Free Download



<http://www.getvalidtest.com>

GetValidTest - Valid test study guide, get certification

**Exam** : **E-BW4HANA207**

**Title** : SAP Certified Application  
Specialist - SAP BW/4HANA 2.0  
Delta

**Vendor** : SAP

**Version** : DEMO

**NO.1** You use a customer master data table as a left table and a transactional sales data table as a right table within a graphical SAP HANA Calculation View.

You want to focus in your report on transactional data showing both: customers with sales volume and without.

Which join type should be used?

- A. Full Outer Join
- B. Right Outer Join
- C. Left Outer Join
- D. Referential Join

**Answer:** C

**NO.2** You want to load a customer table to SAP BW/4HANA in delta mode.

The customer table is managed in SAP S/4HANA Cloud. Each record has an UTC time stamp.

What is recommended approach to implement this extraction?

- A. Create a DataSource in SAP S/4HANA which leverages the generic delta based on the time stamp.
- B. Create an ABAP CDS View in SAP S/4HANA which is enabled for extraction and model the Change Delta Capture (CDC) logic based on the time stamp
- C. Create an ABAP CDS View in SAP S/4HANA which is enabled for extraction and generates the delta based on the time stamp.
- D. Create an SAP HANA CDS View in SAP S/4HANA which leverages a procedure to generate the delta based on the time stamp.

**Answer:** C

**NO.3** You enable a DataStore object(advanced) for reporting by switching on the ""External SAP HANA view"" flag in the settings.

Which authorizations are used when you consume the generated SAP HANA view directly?

- A. The authorizations for the HDI container access in SAP HANA
- B. The analysis authorizations in SAP BW/4HANA
- C. The combination of the generated analytic privileges in SAP HANA and the analysis authorizations in SAP BW/4HANA
- D. The generated analytic privileges in SAP HANA

**Answer:** C